Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute sum and difference same angle same size near3 head.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:43
L2	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute sum and difference same angle same size.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:43
L3	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute sum and difference same angle and size.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:43
L4	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute sum and difference and angle.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L5	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute sum and difference.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L6	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line and absolute.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L7	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle and ideal line.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44

1/18/2007 10:45:31 AM Page 1

L8	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight and angle.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L9	0	position near2 head and image acquisition an dimage scenario geometric center near3 head and size near3 head and current lines of sight.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L10	0	position near2 head and image acquisition and image scenario geometric center near3 head and size near3 head and current lines of sight.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:44
L11	0	position near2 head and image acquisition and geometric center near3 head and size near3 head and current lines of sight.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:45
L12	0	position near2 head and image and geometric center near3 head and size near3 head and current lines of sight.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:45
L13	0	position near2 head and image and center near3 head and size near3 head and current lines of sight.clm.	US-PGPUB	NEAR	ON	2007/01/18 10:45

1/18/2007 10:45:31 AM Page 2

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7760	(356/3.01-3.15,4.01-4.1,5.01-5.15, 6-22,139,139.01-139.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:18
L2	1	L1 and locat\$4 near3 head and vehicle and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L3	10	(("20030079929") or ("20030081814") or ("20030001368") or ("20030116698") or ("6094610")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:18
L4	0	L1 and locat\$4 near3 head and vehicle and airbag near3 disable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L5	7760	(356/3.01-3.15,4.01-4.1,5.01-5.15, 6-22,139,139.01-139.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:18
L6	0	L5 and locat\$4 near3 head and vehicle and airbag near3 disable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L7	1	L5 and locat\$4 near3 head and vehicle and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L8	10	(("20030079929") or ("20030081814") or ("20030001368") or ("20030116698") or ("6094610")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:18

L9	40	L5 and locat\$4 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L10	31	L9 and size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L11	1	L10 and head near3 center	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L12	0	camera and disable near3 airbag and size near2 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L13	77	camera and disable near3 airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L14	55	camera and disable near3 airbag and size and center	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L15	32	L14 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L16	20	L15 and center near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18

L17	10	L16 and size near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L18	14	camera and airbag and size near2 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L19	0	L9 and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L20	6	L9 and camera and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L21	0	L20 and head size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L22	1	L9 and head size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L23	16	camera and airbag and size near5 head and center near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
L24	14	camera and airbag and size near5 head and center near5 head and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18

L25	2	camera and airbag and size near2 head and center near3 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/18 10:18
51	7750	(356/3.01-3.15,4.01-4.1,5.01-5.15, 6-22,139,139.01-139.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:17
S2	0	S1 and locat\$4 near3 head and vehicle and airbag near3 disable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/09 15:18
S3	1	S1 and locat\$4 near3 head and vehicle and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/09 15:20
54	10	(("20030079929") or ("20030081814") or ("20030001368") or ("20030116698") or ("6094610")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 15:43
S5	7752	(356/3.01-3.15,4.01-4.1,5.01-5.15, 6-22,139,139.01-139.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:30
S6	1	S5 and locat\$4 near3 head and vehicle and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:30
S7	10	(("20030079929") or ("20030081814") or ("20030001368") or ("20030116698") or ("6094610")). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:31

S8	0	S5 and locat\$4 near3 head and vehicle and airbag near3 disable\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:30
S9	40	S5 and locat\$4 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:31
S10	0	S9 and airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:33
S11	6	S9 and camera and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:33
S12	0	S11 and head size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:33
S13	1	S9 and head size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:34
S14	31	S9 and size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:34
S15	1	S14 and head near3 center	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:36

				·····		
S16	2	camera and airbag and size near2 head and center near3 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:46
S17	14	camera and airbag and size near2 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:40
S18	0	camera and disable near3 airbag and size near2 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:40
S19	76	camera and disable near3 airbag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:40
S20	54	camera and disable near3 airbag and size and center	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:41
S21	31	S20 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:41
S22	19	S21 and center near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:41
S23	9	S22 and size near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:46

S24	15	camera and airbag and size near5 head and center near5 head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:46
S25	13	camera and airbag and size near5 head and center near5 head and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/11 14:46

1/18/2007 10:37:50 AM C:\Documents and Settings\Iratcliffe\My Documents\EAST\Workspaces\10532151.wsp Page 7